



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

August 19th.

MR. CASSIN in the Chair.

Mr. Cassin presented a paper entitled, "Descriptions of New Species of African Birds in the Museum of the Academy of Natural Sciences of Philadelphia, collected by Mr. P. B. Duhaillu in Equatorial Africa. By John Cassin." Referred to a Committee consisting of Drs. Wilson, Morris and Rand.

Mr. Cassin also announced the reception of a collection of Mammals, Birds and Shells from Mr. P. B. Duhaillu, who had begun his labors in Western Africa.

August 26th.

Vice President BRIDGES in the Chair.

The Committees on Mr. Lea's paper, read July 8th; on Major Le Conte's paper, read July 15th; on Dr. Hallowell's papers, read August 5th; and on Mr. Cassin's paper, read August 19th, severally reported in favor of publication in the Proceedings.

Description of Fifteen new species of Exotic Melaniana.

By ISAAC LEA.

MELANIA VERREAUIANA. Testâ lævi, pyramidatâ, crassâ, tenebroso-castaneâ, spirâ valdè elevatâ; suturis linearibus; anfractibus planulatis; aperturâ subgrandi, ovatâ, intus paulisper brunneâ; columellâ albâ incurvaque.

Hab. Sandwich Islands. M. E. Verreau, Paris.

MELANIA FRATERNA. Testâ plicatâ, pyramidatâ, subcrassâ, tenebroso-brunneâ; spirâ elevatâ; suturis irregulariter impressis; anfractibus subplanulatis, transversim lineis impressis, regulariter cinctis, costellis verticallibus; aperturâ parvâ, subovatâ, intus albidâ; labro acuto; columellâ contortâ, supernè incrassatâ, infernè subemarginatâ.

Hab. ———.

MELANIA HAINESIANA. Testâ lævi, pyramidatâ, subtenui, corneâ; spirâ subelevatâ; suturis linearibus, impressis; anfractibus planulatis, in medio angulatis; aperturâ subgrandi, subrhomboideâ, ad basim angulatâ, intus cœruleo-albidâ; labro acuto, angulato; columellâ albidâ tortaue.

Hab. India. W. A. Haines, New York.

MELANIA HOUSEI. Testâ lævi, acuto-conoideâ, tenui, corneâ, flammis longitudinalibus ferrugineis ornatâ; spirâ subelevatâ; acuminatâ, suturis impressis, canaliculatisque; anfractibus planulatis, instar duodecim; aperturâ parvâ, ovatâ, intus albidâ; columellâ albâ tortaue.

Operculo tenebroso-fusco.

Hab. Korat, Takrong River, Siam. S. R. House, M. D.

MELANIA NINGPOENSIS. Testâ perplicatâ, striis transversis crebris decussatâ, conoideâ, tenui, pallidâ corneâ, subdiaphanâ; spirâ subelevatâ; suturis valdè impressis; anfractibus instar novem, subconvexis, infernè transversim costatis; aperturâ parvâ, subrotundatâ, intus albâ; columellâ albâ.

Operculo tenui, pallido-corneo.

Hab. Ningpo, China. S. R. House, M. D.